

**Adults Ages 18 and Over with Diabetes Whose Feet Were Checked for Any Sores or Irritations in the Past Year,
by County and Public Health District, Maine 2008-2010**

	Unweighted Number	Weighted Number	%	LCL	UCL
County					
Androscoggin	DNR	DNR	DNR	DNR	DNR
Aroostook	105	19157	87.2	80.6	93.8
Cumberland	185	33722	83.0	76.4	89.6
Franklin	42	5269	90.4	82.3	98.6
Hancock	63	10860	88.3	80.3	96.4
Kennebec	104	18471	86.0	78.6	93.5
Knox	DNR	DNR	DNR	DNR	DNR
Lincoln	DNR	DNR	DNR	DNR	DNR
Oxford	DNR	DNR	DNR	DNR	DNR
Penobscot	133	25032	85.1	78.6	91.6
Piscataquis	39	4542	91.5	84.0	98.9
Sagadahoc	46	6143	89.5	81.7	97.4
Somerset	DNR	DNR	DNR	DNR	DNR
Waldo	55	5632	74.7	63.2	86.3
Washington	DNR	DNR	DNR	DNR	DNR
York	124	22859	79.2	70.7	87.7
District					
Aroostook	105	19157	87.2	80.6	93.8
Central	173	29111	81.3	74.1	88.5
Cumberland	185	33722	83.0	76.4	89.6
Downeast	134	18677	84.7	77.8	91.6
Midcoast	215	25148	81.5	76.2	86.7
Penquis	172	29574	86.0	80.4	91.7
Western	171	27462	83.5	76.5	90.5
York	124	22859	79.2	70.7	87.7

Data Source: Behavioral Risk Factor Surveillance System

Data is based on the number of adults with diabetes who reported that a health professional had checked their feet for sores and irritations at least once in the past 12 months.

% = Weighted percentage of respondents

LCL= Lower 95% confidence level of the weighted percentage; UCL= Upper 95% confidence level of the weighted percentage

All percentages are weighted to be more representative of the population of Maine and to adjust for non-response.